

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3014	(second or 2nd or "2.sup.nd" or plural\$3 or multiple) adj (current adj mirror\$1)	US-PGPUB; USPAT	OR	OFF	2005/06/29 07:49
L2	5100	327/108,530,538,540,541,542. ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/29 07:49
L3	1604	323/315,316.ccls.	US-PGPUB; USPAT	OR	OFF	2005/06/29 07:50
L4	5704	(2 or 3) not 1	US-PGPUB; USPAT	OR	OFF	2005/06/29 07:50
L5	1890	4 and mirror\$3	US-PGPUB; USPAT	OR	OFF	2005/06/29 07:51
L6	126	5 and ((casco\$3 or casc\$3) near3 (mirror\$3))	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:20
L7	77249	current\$1 near3 (amplif\$7 or multipl\$7)	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:09
L8	915	5 and 7 not 6	US-PGPUB; USPAT	OR	OFF	2005/06/29 08:38
L9	639	8 and ratio	US-PGPUB; USPAT	OR	OFF	2005/06/29 08:39
L10	399	9 and (PMOS or PFET or (P adj (MOS or FET or channel or type)))	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:11
L11	266	9 and NPN	US-PGPUB; USPAT	OR	OFF	2005/06/29 08:40
L12	119	10 and 11	US-PGPUB; USPAT	OR	OFF	2005/06/29 08:40
L13	39290	current\$1 near3 (times or gain)	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:09
L14	591	5 and 13	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:10
L15	358	8 and 14	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:10
L16	300	15 not 12	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:10
L17	212	16 and 9	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:10
L18	336	14 and (PMOS or PFET or (P adj (MOS or FET or channel or type)))	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:55
L19	321	14 and (NMOS or NFET or (N adj (MOS or FET or channel or type)))	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L20	379	14 and (CMOS or MOS or MOSFET or FET)	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L21	273	14 and PNP	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56

L22	283	14 and NPN	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L23	335	14 and bipolar	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L24	286	(18 or 19 or 20) and (21 or 22 or 23)	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:12
L25	79	17 and 24	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:26
L26	133	17 not 25	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:45
L27	88	16 not 17	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:53
L28	1148	8 or 14	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:53
L29	729	28 not (12 or 16 or 25)	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:55
L30	446	29 and (PMOS or PFET or (P adj (MOS or FET or channel or type)))	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:55
L31	437	29 and (NMOS or NFET or (N adj (MOS or FET or channel or type)))	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L32	495	29 and (CMOS or MOS or MOSFET or FET)	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L33	229	29 and PNP	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L34	229	29 and NPN	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L35	323	29 and bipolar	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:56
L36	266	(30 or 31 or 32) and (33 or 34 or 35)	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:04
L37	183	36 and (gate same source same drain)	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:57
L38	138	36 and (emitter same base same collector)	US-PGPUB; USPAT	OR	OFF	2005/06/29 09:57
L39	94	37 and 38	US-PGPUB; USPAT	OR	OFF	2005/06/29 10:09
L40	44	38 not 39	US-PGPUB; USPAT	OR	OFF	2005/06/29 10:16
L41	89	37 not 39	US-PGPUB; USPAT	OR	OFF	2005/06/29 10:34
L42	39	36 not (37 or 38)	US-PGPUB; USPAT	OR	OFF	2005/06/29 10:34
L43	140	(33 or 34 or 35) not 36	US-PGPUB; USPAT	OR	OFF	2005/06/29 10:45
L44	440	(30 or 31 or 32) not 24	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:04

L45	69	44 and (mirror\$3 near5 ratio\$3)	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:16
L46	221	44 and ratio\$3 not 45	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:17
L47	196	46 and 7	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:17
L48	26	46 and 13	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:19
L50	195	47 not 48	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:20
L51	0	1 and 50	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:20
L52	39	50 and (cascod\$3 or cascadi\$3)	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:25
L53	156	50 not 52	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:25
L54	146	53 and "current mirror"	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:38
L55	10	53 not 54	US-PGPUB; USPAT	OR	OFF	2005/06/29 11:38